This item is the archived peer-reviewed author-version of:

Mass violence, radicalization and terrorism : a role for psychiatric profession?

Reference:

Dom Geert, Schouler-Ocak M., Bhui K., Demunter H., Kuey L., Raballo A., Frydecka D., Misiak B., Gorwood P., Samochowiec J.- Mass violence, radicalization and terrorism : a role for psychiatric profession?

European psychiatry - ISSN 0924-9338 - Issy-les-moulineaux, Elsevier france-editions scientifiques medicales elsevier, 49(2018), p. 78-80

Full text (Publisher's DOI): <https://doi.org/10.1016/J.EURPSY.2018.01.001>

To cite this reference: <https://hdl.handle.net/10067/1487620151162165141>

Mass violence, radicalization and terrorism: a role for psychiatric profession?

Dom, G., Schouler-Ocak, M., Bhui, K., Demunter, H., Kuey, L., Raballo; A., Frydecka, D., Misiak, B., Gorwood, P., Samochowiec, J.

Corresponding Author:

Prof. Dr. Geert Dom
Antwerp University, Belgium
geert.dom@uantwerpen.be

Schouler-Ocak, M.: Psychiatric University Clinic of Charité, Berlin, Germany.
meryam.schouler-ocak@charite.de

Bhui, K.: Centre Lead for Psychiatry, Wolfson Institute of Preventive Medicine
Barts & The London School of Medicine & Dentistry.
Queen Mary, University of London, k.s.bhui@qmul.ac.uk

Demunter, H.: Universitair Psychiatrisch Centrum KU Leuven, Belgium.
hella.demunter@upckuleuven.be

Küey, L.: Istanbul Bilgi University, Istanbul, Turkey
kueyl@superonline.com

Raballo; A.: Norwegian University of Science and Technology (NTNU), Trondheim, Norway. andrea.raballo@ntnu.no

Frydecka, D. Department of Psychiatry, Wrocław Medical University, Wrocław, Poland
dfrydecka@gmail.com

Misiak, B. Wrocław Medical University, Wrocław, Poland
mblazej@interia.eu

Gorwood, P. CMME, Hopital Sainte-Anne, Université Paris Descartes, INSERM U894, Paris, France. p.gorwood@ch-sainte-anne.fr

Samochowiec, J. Department of Psychiatry, Pomeranian Medical University, Szczecin, Poland. samoj@pum.edu.pl

Acknowledgement: This Viewpoint is written on behalf of the Task Force on Mass Violence, from the European Psychiatric Association (EPA).

1. Introduction

Mass killings have been a feature of human existence throughout the ages. Mass shootings and terrorism are the two main types of mass violence that attract much attention today. Mass shootings events occur frequently, specifically in the US, and have an enormous impact. In addition, the world is increasingly confronted with a growth in extremism and a multitude of terrorist violent acts. From 2013 to 2014 there was an increase of 80% in the number of terrorism-related deaths (Alcala et al., 2017). Terrorism can be defined as *the use of violence and intimidation in the pursuit of political aims* and is often perpetuated by those who have been radicalized. Exemplary of both types of mass violence are the recent terrorist attacks in Brussels (2016), Berlin (2017), Barcelona (18-08-2017), and the Las Vegas mass shooting (02-10-2017).

These events have serious implications and constitute a complex challenge for mental health professionals such as psychiatrists and their professional associations. At least four different dimensions are of relevance regarding mental health, with the perspective that each of them might form a basis for the development of guidance and action plans, helping professional associations and clinical active professionals to develop stand-points and efficient strategies.

a. The impact on victims, family and society as a whole: caregiver and public health role.

The primary focus of mental health professionals is helping people in need. Within this context this means trauma-related working with the victims and their families. However, mass violence is not only an individual experience. One of the main goals of the perpetrators, specifically in the case of terrorism, is to instill at the population level a feeling of fear, uncertainty and vulnerability. It is as yet unclear what consequences this has on the population's mental health and its most vulnerable individuals. From this perspective, terrorism and mass violence is a topic that needs to be addressed by public (mental) health research and strategies (Alcala et al., 2017).

b. The stigmatization effect of the association between violence and mental illness: advocacy and communicator role.

Mass media play a powerful role in shaping perception, understanding and public discourse surrounding key issues that affect audiences (DeFoster and Swalve, 2017). Media have an extremely powerful role in the creation of a public image and their remains a real threat that violent acts are disproportionally framed with an association of having a mental health

disorder. Likewise, most Americans fault mental health systems for failing to prevent shootings, showing a poor understanding of how mental health and illness can be related to violence, and how individual responsibility is not necessarily absent in such incidents, even if mental illness were to be a relevant factor; it is unlikely to be the sole factor. There is a clear shift over the last 20 years suggesting that reform of the mental health system is the solution rather than reform of gun policy, guns being the top cause of mass shootings (DeFoster and Swalve, 2017). This media framing tends to galvanize public attention and emphasize the ostensible link between mental illness and violence. This contrasts with the epidemiological reality that the majority of the severely mentally ill individuals never become violent. On the contrary, mental illness is strongly linked with being a victim and increased risk of suicide, a manner of death that accounts for more than half of the firearm-related deaths annually in the US (Swanson et al., 2015) (DeFoster and Swalve, 2017). In this sense, media framing of mass violence blames these events on breakdowns in mental healthcare and policy, obscuring the much more complex experiences of mental illness, and scapegoating the mentally ill for shocking acts of public violence (DeFoster and Swalve, 2017).

Mental health professionals must show leadership, and work with patient- and family representatives, and the media to develop strategies to counteract this stigmatizing framing.

c. Research into the motives of mass violence and the relation with mental health: role as a scientist.

The relation between violence and mental health problems remains a delicate debate. On the one hand, there is the lingering danger of stigmatization. On the other hand, there are situations where violence risk and mental disorder are indeed interrelated. Delusions or command hallucinations, suicidality or psychopathy, often within the context of co-occurring substance abuse, can lead to violence. These pathways need better scientific understanding and balanced public information (Sheehan, 2014). We are not able to apply the same level of understanding yet to the varieties of motivation for terrorism related homicide, the majority of which are unrelated to mental illnesses. The relationship between mental health, psychopathology and radicalization or terrorism is complex and remains poorly understood. Faced with sudden, seemingly inexplicable acts of aggression stemming from individuals or groups, our first reflex is often to seek an explanation in possible underlying mental disorders (Bhui et al., 2016). This quasi automatic association not only harms and stigmatizes many

people with mental problems but also impairs a thorough and objective analysis of the real causes, which are highly complex, idiosyncratic, and often differ from case to case.

The limited data we have on this topic shows that organized terrorist groups and individuals who have committed violent terrorist acts are rarely associated with an increased prevalence of mental disorders. Moreover, terrorist groups and networks seem to avoid recruiting people with mental health problems. They may even stigmatize people with mental problems, thinking that they are unreliable, difficult to train and direct to avoid detection (Bhui et al., 2016). In contrast, lone-actor mass violence may be more associated with psychopathology. This type of frequently grievance-fueled targeted violence includes also public figures assassins, school shooters and workplace attackers. These forms of violent acts share important characteristics and risk factors, with among others severe mental illness (Hurlow et al., 2016). Indeed, up to 43% of the lone-actor terrorists have been reported to have a history of mental illness, albeit without connection to specific disorders (Corner and Gill, 2015, Bhui et al., 2016).

As part of the process of radicalization, emerging evidence shows that mental disorders affect susceptibility to radicalizing influences. Radicalization is a process by which an individual or group comes to adapt increasingly extreme political, social or religious ideas and aspirations that reject or undermine the status quo. A lack of identity, empowerment, attributing significance, an unmet need of connection - a sense of belonging, all prove key concepts as the breeding ground for a wide range of human problems, including the risk of radicalization (Coid et al., 2016). Of importance, the same elements constitute vulnerabilities for numerous "public health" issues such as (chronic) poor physical health, substance abuse and mental health problems such as depression (Bhui et al., 2014b). It is striking that in several studies, depression was associated with terrorist sympathizing (Bhui et al., 2014a). This may reflect a pessimistic outlook and negative world view of how to resolve grievances or life's problems through non-violent social and political engagement and actions.

From another angle, some authors point to untreated mental illness as a possible contributor to violent crime, and argue that the decline in the availability of long-term, intensive mental health hospitals might have negative impacts on firearm-related deaths and possibly on the incidence of mass shooting events in the US (Meszaros, 2017). Taken together, the challenge facing mental health professionals is to develop better knowledge on this topic. However, given the delicacy of this topic and the strong public opinion, media framing, securing funding for research in this area proves difficult. Exemplary is that, due to political pressure, for a long period research on the relation between gun violence and mental health has been

withheld by the Centers for Disease Control and Prevention (CDC) (DeFoster and Swalve, 2017).

d. Therapeutic relation versus the role of screening on radicalization and terrorism: professional confidentiality and boundaries.

Although the core role of any mental health professional is the care for his/her patients and families, other roles of the psychiatrists concern the protection of society from violence resulting from mental illness and preventing individuals with mental illness from ruining their lives by becoming involved in serious criminal acts and, overall from becoming victims of criminal (aggressive) acts towards themselves (Hurlow et al., 2016). From this perspective, there is a growing societal pressure on health professionals to take on an active role in screening for signs that potentially can identify future perpetrators of violence. This may ultimately result in mandatory reporting to authorities, e.g. the UK Government Prevent strategy. However, some doctors might voice concerns that the focus on screening, and possible protocols associated with it, would potentially stigmatize already marginalized groups and fundamentally compromise confidentiality for patients. Clearly guidance is needed in mental health practice in the delicate balance of assessing risk danger and deciding when breaching confidentiality in the interest of wider public health and danger.

2. conclusion and recommendations

The delicacy and complexity of this debate might be one of the factors why psychiatrists and their professional organizations remain overall very restricted in their communication and guidance towards these topics. On the other hand, mental health and human science professionals in different countries are increasingly confronted with these developments. In addition, in some countries pressure is raising on mental health professionals to actively participate in screening and prevention of radicalization and anticipated terrorist acts (Summerfield, 2016). Putting such social control in the hands of psychiatry is very delicate and, if done, should be limited to those social issues strictly related to public mental health and carefully balanced against psychiatry as a profession, avoiding any risk on de-professionalization. So overall, there is a growing need among many psychiatrists and other mental health professionals to have some guidance on how to relate to these new challenges.

Furthermore, both individual professionals and professional societies are solicited to provide answers and context for the public and media. So, a better understanding of these complex phenomena is urgently needed. This is clearly a role for professional associations to provide recommendations that can help to choose strategies and guidance both on the level of the individual doctor-patient contact as on the broader levels, i.e. public image formation, communication and mental health policy making.

Literature

- ALCALA, H. E., SHARIF, M. Z. & SAMARI, G. 2017. Social Determinants of Health, Violent Radicalization, and Terrorism: A Public Health Perspective. *Health Equity*, 1, 87-95.
- BHUI, K., EVERITT, B. & JONES, E. 2014a. Might depression, psychosocial adversity, and limited social assets explain vulnerability to and resistance against violent radicalisation? *PLoS One*, 9, e105918.
- BHUI, K., JAMES, A. & WESSELY, S. 2016. Mental illness and terrorism. *BMJ*, 354, i4869.
- BHUI, K., WARFA, N. & JONES, E. 2014b. Is violent radicalisation associated with poverty, migration, poor self-reported health and common mental disorders? *PLoS One*, 9, e90718.
- CORNER, E. & GILL, P. 2015. A false dichotomy? Mental illness and lone-actor terrorism. *Law Hum Behav*, 39, 23-34.
- DEFOSTER, R. & SWALVE, N. 2017. Guns, Culture or Mental Health? Framing Mass Shootings as a Public Health Crisis. *Health Commun*, 1-12.
- HURLOW, J., WILSON, S. & JAMES, D. V. 2016. Protesting loudly about Prevent is popular but is it informed and sensible? *BJPsych Bull*, 40, 162-3.
- MESZAROS, J. 2017. Falling through the cracks: the decline of mental health care and firearm violence. *J Ment Health*, 26, 359-365.
- SHEEHAN, I. S. 2014. Are suicide terrorists suicidal? A critical assessment of the evidence. *Innov Clin Neurosci*, 11, 81-92.
- SUMMERFIELD, D. 2016. Mandating doctors to attend counter-terrorism workshops is medically unethical. *BJPsych Bull*, 40, 87-8.
- SWANSON, J. W., MCGINTY, E. E., FAZEL, S. & MAYS, V. M. 2015. Mental illness and reduction of gun violence and suicide: bringing epidemiologic research to policy. *Ann Epidemiol*, 25, 366-76.