## BMJ Global Health

# Making 'resilience' useful again: recognising health system resilience as an effective boundary object

Bruno Marchal, <sup>1</sup> Joris Michielsen, <sup>1</sup> Sara Simon, <sup>2</sup> Kristien Verdonck, <sup>1</sup> Kirsten Accoe <sup>©</sup>, <sup>3</sup> Calvin Tonga, <sup>4</sup> Katja Polman, <sup>1</sup> Orawan Tawaytibhongs, <sup>5</sup> Tom Cornu, <sup>1,6</sup> Stefanie Dens, <sup>7,8</sup> Houssynatou Sy, <sup>1</sup> Claudia Nieto-Sanchez <sup>©</sup>, <sup>1</sup> Sara Van Belle<sup>1</sup>

To cite: Marchal B, Michielsen J, Simon S, et al. Making 'resilience' useful again: recognising health system resilience as an effective boundary object. BMJ Global Health 2023;8:e012064. doi:10.1136/ bmjgh-2023-012064

Handling editor Stephanie M

Received 17 February 2023 Accepted 5 May 2023



@ Author(s) (or their employer(s)) 2023. Re-use permitted under CC BY-NC. No commercial re-use. See rights and permissions. Published by

For numbered affiliations see end of article.

Correspondence to Professor Bruno Marchal; bmarchal@itg.be

#### INTRODUCTION

In the wake of the COVID-19 pandemic, the use of the concept of 'resilience' has boomed in the field of global health. The European Union and agencies such as the World Bank, WHO and the Global Fund now embrace strengthening resilience as the best way to prepare health systems for shocks. Resilience emerged only relatively recently in global health and it can be traced back to the outbreaks of severe acute respiratory syndrome, Middle East respiratory syndrome and especially Ebola.1 It crossed over from international development, food and nutrition security, and humanitarian aid, where it has been used from the 2000s onwards as a frame to look into how communities could be strengthened to deal with crises. In global health, the initial focus was on emergency preparedness, aligning well with the health security paradigm.<sup>2</sup> Gradually, authors widened the scope, for instance, from 'community responses' to 'social resilience', and from 'minimising exposure to acute shocks' to 'dealing with chronic or everyday stressors'. The objective of strengthening resilience is commonly formulated as ensuring that health systems and services cover the needs of people affected by a shock while maintaining the continuity of services for all other people. Shocks are typically defined as disturbances or stressors to people and health systems, such as natural disasters, conflicts, extreme weather events, sudden migration influxes or economic crises. Cynics may say that the objective of strengthening resilience and the broad range of shocks may the only things authors agree on, given the multitude of definitions of resilience,<sup>5</sup> the diversity of methods to assess health system

## SUMMARY BOX

- ⇒ With the increased use of the concept of 'resilience' in global health came a wide range of definitions. a multitude of frameworks and a dilution of its
- ⇒ Diffuse definitions can be useful if they allow a concept to be a boundary concept: a term that connects fields and allows for a dialogue between actors from different disciplines.
- $\Rightarrow$  In this paper, we propose (1) a set of key principles drawn from the pioneering work on resilience and governance in the field of social-ecological systems theory and (2) a number of research areas that merit more attention.

resilience<sup>6</sup> and the limited consensus on how resilience can be enhanced.<sup>78</sup>

With the increased use of 'resilience' came a divergence of its meaning<sup>9</sup>; yet, diffuse definitions can sometimes be useful. The concept has become a boundary object, facilitating 'communication across disciplinary borders by creating shared vocabulary although the understanding of the parties would differ regarding the precise meaning of the term in question.'10 In this comment, we go back to the pioneering work on governance and resilience in the field of social-ecological systems (SES) theory, to which several authors refer. 11-13 Cote and Nightingale argued that SES theory overemphasises the role of physical shocks in defining vulnerability, ignoring political and social determinants.3 Such critique led to the more comprehensive concepts of social resilience<sup>14</sup> and equitable resilience, 15 which have not yet been taken up fully in the field of health: many frames of resilience have 'no in-built moral compass' 16 and ignore the role of unequal power positions.<sup>17</sup> We argue that revisiting key concepts



of SES theory with this critique in mind can help in identifying core principles that may both enable a shared vocabulary and a critical view on how the concept is currently being operationalised in global health. Our aim is, indeed, to facilitate a dialogue among different actors and disciplines on the definition, value and role of resilience as a potential health system goal, and the conditions under which it can be achieved.

#### **REVISITING THE ORIGINS**

More than 50 years ago, resilience emerged in psychology, political science, agricultural sciences, engineering and ecology. The work of Folke *et al*<sup>18</sup> in the latter field is highly relevant for health. Building on the seminal work of Holling, <sup>19</sup> their initial definition of resilience emphasised the robustness of systems, meaning the capacity of a system to deal with a shock while maintaining its functions. <sup>20</sup> This evolved to viewing resilient systems as systems able to react to a shock by learning and innovation. Over the years, the body of SESs theory was developed and important innovations were made in the field of governance, including adaptive governance and the negotiated nature of resilience. Below, we present insights from SES theory that may help in transforming the concept of health system resilience into a useful boundary concept.

First, resilience is about agility and transformation, more than just mitigation of and adaptation to shocks. Enhancing resilience requires learning lessons from past and current responses to shocks in order to initiate transformations that address structural weaknesses. Inherent in such transformation is the need to manage or cope better with so-called existential risks that cannot be controlled. Yet, many global health actors seems stuck in reductive, short-term responses, which typically prioritise better early warning systems and emergency response plans. This is considered a more manageable approach than changing institutions and systems, which would be needed to address the social, commercial and other structural determinants of vulnerability of people and health systems alike.

Second, Lebel et al identified polycentric institutions, multilayered institutional arrangements, effective accountability processes, public participation, deliberation and social justice as core governance attributes that enhance resilience and equity.<sup>22</sup> Applying these principles to health systems, Blanchet et al identified four capacities to manage resilience: knowledge, uncertainty, legitimacy and interdependence. 12 Lebel et al pointed to 'self-organisation' and 'learning and adaption' as outputs of adaptive governance that enhance resilience. This is especially relevant for health systems, not only because it fits the complex nature of decentralised health systems,<sup>23</sup> but also because such arrangements stimulate the emergent action required both to deal with shocks and to learn and initiate positive transformation. This is in sharp contrast with the dominant frames of outbreak control in global health that emphasise a top-down approach,

with centralised command-and-control procedures, emergency operations centres and crisis management strategies.<sup>24</sup>

Third, individuals, members of households and communities, health providers, managers and policy-makers play a central role in resilience of health systems. Yet, the prevailing practice in global health research is to consider resilience within each scale, separating individual resilience from community and organisational resilience. Furthermore, cross-scale interaction between factors shaping resilience at the microlevels, mesolevels and macrolevels of health systems is often ignored. More fundamental perhaps, 'resilience' is often reified in the direction of resilience being an a-personal system characteristic. Instead, we argue resilience is best conceived as resulting from the interaction between people (agency) and context (structure).

Fourth, resilience can be considered as a function of preexisting resilience capacities and vulnerabilities of people and systems, and of the nature of the shock.<sup>25</sup> Particular social, political and economic factors contribute to making places and people vulnerable and others resilient, while personal wealth and (social) capital shape how people can mitigate risks or transform situations to their advantage.<sup>26</sup> Yet, historical contingency, pre-existing societal inequities and unequal power positions are often ignored.<sup>27</sup> Chaffin *et al* emphasise the importance of taking into account disparities in resource distribution, inequities, power relations and the societal capacity for change.<sup>28</sup> Transformation and resilience as such—is not a neutral concept and attention should be given to how interventions to strengthen resilience lead to equitable resilience.<sup>15</sup>

## **REFINING THE RESEARCH AGENDA**

Recently, Saulnier et al<sup>e9</sup> proposed a research agenda for resilience, indicating five priority areas: measuring and managing dynamic performance, linking societal and health system resilience, governing for resilience, legitimacy and the influence of private and voluntary sectors on resilience.<sup>30</sup> Based on our reading of SESs theory, we propose some additional research questions. First, the processes and context conditions that allow health system actors to move from 'adaptation' to 'transformation' need more research. How does adaptive governance foster resilience and in which conditions? Does it lead to more equity-oriented reforms and responsive health systems? The hypotheses proposed by Lebel et al that link adaptive governance to just, accountable and resilient systems<sup>22</sup> remain to be tested in the field of health. Second, how can a multiscale perspective be applied to resilience of health systems: how does resilience of individuals, households and communities shape the resilience of health organisations and (local) health systems? Third, what are the causal processes underlying resilient health systems? How do, for instance, mechanisms of social cohesion, solidarity and reciprocity work in 'knitting' individuals and families into resilient communities? Which management and leadership practices are required to make health workers



and the systems they work in more resilient? Fourth, how can we make sense of multiple shocks and their impact on health systems? Developing long-term prospective studies and methods to analyse temporal dynamics would enable a better understanding of the transitions people and health systems go through between shocks. Fifth, methods for multiscale analysis and empirical research are scarce.<sup>29 31</sup> Many health system resilience (assessment) frameworks 73233 start from WHO's six building blocks model, designed to assess health system strengthening, not resilience. Finally, given the diverging interpretations of the concept of resilience and the ideological underpinnings of some views,<sup>34</sup> a critical analysis of the discourses shaping the debates needs to be maintained. Health system resilience is more than the object of a technocratic or managerialist exercise; it forces us to engage with the messiness of power, politics and governance in a turbulent world.<sup>35</sup>

#### **Author affiliations**

- <sup>1</sup>Department of Public Health, Institute of Tropical Medicine, Antwerpen, Belgium <sup>2</sup>Department of Conflict Resolution, University of Massachusetts, Boston, Massachusetts, USA
- <sup>3</sup>Department of Public Health, Institute of Tropical Medicine, Antwerp, Belgium <sup>4</sup>Ministry of Public Health, Yaoundé, Cameroon
- <sup>5</sup>Royal Thai Government Ministry of Public Health, Bangkok, Thailand
- <sup>6</sup>Family Medicine and Population Health Department, University of Antwerp, Antwerpen, Belgium
- <sup>7</sup>Research Group for Urban Development, University of Antwerp, Antwerpen, Belgium
- <sup>8</sup>Department of Public Health, Institute of Tropical Medicine Department of Clinical Sciences, Antwerpen, Belgium

**Acknowledgements** We would like to acknowledge the insightful and constructive comments of the peer reviewers.

Contributors We follow the CRediT and ICMJE guidance on contributorship: Conceptualisation: BM, JM and SVB: writing of the original draft. BM, JM, SS, KA, HS, CN-S and SVB. Review and editing of the original draft: all authors. Finalisation of the original manuscript: BM, KP, KV and SVB. Writing of the revised manuscript: BM. Review and editing of the revised manuscript: BM, SS, KA, HS, KV and SVB. All authors approved the revised version.

**Funding** SVB is a senior fellow of the Flemish Fund for Scientific Research (Fonds voor Wetenschappelijk Onderzoek FWO). TC is funded by the joint Pump Priming project 'Urban health systems, shocks and resilience: what can we learn from COVID-19?', funded by the Institute of Tropical Medicine, Antwerp and the University of Antwerp.

Competing interests None declared.

Patient consent for publication Not applicable.

Provenance and peer review Not commissioned; externally peer reviewed.

Data availability statement No data are available.

**Open access** This is an open access article distributed in accordance with the Creative Commons Attribution Non Commercial (CC BY-NC 4.0) license, which permits others to distribute, remix, adapt, build upon this work non-commercially, and license their derivative works on different terms, provided the original work is properly cited, appropriate credit is given, any changes made indicated, and the use is non-commercial. See: http://creativecommons.org/licenses/by-nc/4.0/.

#### **ORCID iDs**

Kirsten Accoe http://orcid.org/0000-0003-1153-1942 Claudia Nieto-Sanchez http://orcid.org/0000-0003-1242-1171

#### **REFERENCES**

1 Meyer D, Bishai D, Ravi SJ, et al. A checklist to improve health system resilience to infectious disease outbreaks and natural hazards. BMJ Glob Health 2020;5:e002429.

- Zebrowski C. The nature of resilience. Resilience 2013;1:159–73.
- 3 Cote M, Nightingale A. Resilience thinking meets social theory: situating social change in socio-ecological systems (SES) theory. Prog Hum Geogr 2012;36:475–89.
- 4 Gilson L, Barasa E, Nxumalo N, et al. Everyday resilience in district health systems: emerging insights from the front lines in Kenya and South Africa. BMJ Glob Health 2017;2:e000224.
- 5 Abimbola S, Topp SM. Adaptation with robustness: the case for clarity on the use of 'resilience' in health systems and global health. BMJ Glob Health 2018;3:e000758.
- 6 Tonga C, Verdonck K, Ateba OE, et al. How is health system resilience being assessed? A scoping review. Forthcoming 2023.
- 7 Thomas S, Sagan A, Larkin J, et al. Strengthening health systems resilience. Key concepts and strategies. Health systems and policy analysis. Geneva: European Observatory on Health Systems and Policy, 2020.
- 8 Nuzzo JB, Meyer D, Snyder M, et al. What makes health systems resilient against infectious disease outbreaks and natural hazards? Results from a Scoping review. BMC Public Health 2019;19:1310.
- 9 Turenne CP, Gautier L, Degroote S, et al. Conceptual analysis of health systems resilience: a scoping review. Soc Sci Med 2019;232:168–80.
- 10 Brand FS, Jax K. Focusing the Meaning(S) of resilience: resilience as a descriptive concept and a boundary object. E&S 2006;12.
- 11 Kruk ME, Myers M, Varpilah ST, et al. What is a resilient health system? Lessons from Ebola. *The Lancet* 2015;385:1910–2.
- 12 Blanchet K, Nam SL, Ramalingam B, et al. Governance and capacity to manage resilience of health systems: towards a new conceptual framework. Int J Health Policy Manag 2017;6:431–5.
- Hanefeld J, Mayhew S, Legido-Quigley H, et al. Towards an understanding of resilience: responding to health systems shocks. Health Policy Plan 2018;33:355–67.
- 14 Adger WN. Social and ecological resilience: are they related *Progress in Human Geography* 2000;24:347–64.
- 15 Matin N, Forrester J, Ensor J. What is equitable resilience? World Dev 2018:109:197–205.
- 16 Béné C, Newsham A, Davies M. Making the most of resilience. IDS in focus policy briefs. Brighton: Institute for Development Studies, 2013
- 17 Topp SM. Power and politics: the case for linking resilience to health system governance. *BMJ Glob Health* 2020;5:e002891.
- 18 Folke C, Hahn T, Olsson P, et al. Adaptive governance of socialecological systems. Annu Rev Environ Resour 2005;30:441–73.
- 19 Holling CS. Resilience and stability of ecological systems. Annu Rev Ecol Syst 1973;4:1–23.
- 20 BerkesF, FolkeC. Linking social and ecological systems for resilience and Sustainability. In: Linking social and ecological systems: management practices and social mechanisms for building resilience. New York, USA: Cambridge University Press, 1998: 1–25.
- 21 Biddle L, Wahedi K, Bozorgmehr K. Health system resilience: a literature review of empirical research. *Health Policy Plan* 2020;35:1084–109.
- 22 Lebel L, Anderies JM, Campbell B, *et al*. Governance and the capacity to manage resilience in regional social-ecological systems.
- 23 Belle SV, Michielsen J, Cornu T, et al. The tale of nine Belgian health ministers and a multi-level fragmented governance system: six guiding principles to improve integrated care, responsiveness, resilience and equity. Int J Health Policy Manag 2023;12:7848.
- 24 World Health Organisation. Framework for a Public Health Emergency Operations Centre. Geneva, 2015.
- 25 Constas M, Frankenberger T, Hoddinott J, et al. A common analytical model of resilience measurement for development: causal framework and methodological options. Rome: Resilience Measurement Technical Working Group. FSIN, 2014.
- 26 Bourdieu P. La Misère du Monde. Paris: Edition du Seuil, 1993.
- 27 Topp SM. Health system resilience as the basis for explanation versus evaluation; comment on "the COVID-19 system shock framework: capturing health system innovation during the COVID-19 pandemic". Int J Health Policy Manag 2023;12:1–3.
- 28 Chaffin BC, Garmestani AS, Gunderson LH, et al. Transformative environmental governance. Annu Rev Environ Resour 2016;41:399–423
- 29 Saulnier DD, Blanchet K, Canila C, et al. A health systems resilience research agenda: moving from concept to practice. BMJ Glob Health 2021;6:e006779.
- 30 Saunders D. Arrival City. How the largest migration in history is reshaping our world. London: William Heinemann, 2010.
- 31 Rocha J, Lanyon C, Peterson G. Upscaling the resilience assessment through comparative analysis. *Global Environmental Change* 2022;72:102419.

- 32 Haldane V, Ong S-E, Chuah F-H, et al. Health systems resilience: meaningful construct or catchphrase? *Lancet* 2017;389:1513.
- 33 Paschoalotto MAC, Lazzari EA, Rocha R, et al. Health systems resilience: is it time to revisit resilience after COVID-19 Social Science & Medicine 2023;320:115716.
- 34 Ribault T. Contre la résilience à Fukushima et ailleurs. Paris: L'échappée, 2021.
- 35 Ansell C, Sørensen E, Torfing J. The COVID-19 pandemic as a game changer for public administration and leadership? The need for robust governance responses to turbulent problems. *Public Management Review* 2021;23:949–60.